

Sample Report - Pre-Disaster Function (from IRIS)

H009 **SOUTH WESTERN HWY 85.60** **to 98.45**

Primary Asset Function

Category *Transport*

Sub-category and Purpose *Highway*

Classification

Type:

Range (SLK)	Configuration	Cross Section Type	Road Category
<i>85.6 - 98.45</i>	<i>Single Carriageway</i>	<i>Sealed</i>	<i>P - Primary Distributor</i>

Capacity:

Range (SLK)	Carriageway	Number of Lanes
<i>85.6 - 91.88</i>	<i>Single Carriageway</i>	<i>2</i>
<i>91.88 - 92.07</i>	<i>Single Carriageway</i>	<i>3</i>
<i>92.07 - 93.07</i>	<i>Single Carriageway</i>	<i>4</i>
<i>93.07 - 93.29</i>	<i>Single Carriageway</i>	<i>3</i>
<i>93.29 - 96.86</i>	<i>Single Carriageway</i>	<i>2</i>
<i>96.86 - 97.8</i>	<i>Single Carriageway</i>	<i>3</i>
<i>97.8 - 98.45</i>	<i>Single Carriageway</i>	<i>2</i>

Asset Layout and Materials Summary:

Pavement Summary

Range (SLK)	Carriageway	Newest Base Material	Width
85.6 - 85.94	S	Gravel	10.40
85.94 - 85.98	S	Gravel	12.20
85.98 - 86.27	S	Gravel	12.90
86.27 - 86.56	S	Gravel	10.40
86.56 - 86.75	S	Gravel	13.70
86.75 - 86.88	S	Gravel	12.20
86.88 - 87.31	S	Gravel	10.70
87.31 - 87.41	S	Gravel	10.30
87.41 - 87.52	S	Gravel	12.20
87.52 - 87.89	S	Gravel	10.60
87.89 - 88.3	S	Gravel	12.40
88.3 - 88.46	S	Gravel	10.60
88.46 - 88.86	S	Gravel	10.90
88.86 - 89.9	S	Gravel	10.60
89.9 - 89.95	S	Gravel	19.50
89.95 - 90.1	S	Gravel	17.80
90.1 - 90.19	S	Gravel	12.80
90.19 - 90.22	S	Gravel	13.70
90.22 - 90.28	S	Gravel	12.70
90.28 - 90.5	S	Gravel	10.20
90.5 - 91.5	S	Gravel	11.10
91.5 - 91.76	S	Gravel	11.50
91.76 - 91.87	S	Gravel	13.40
91.87 - 91.88	S	Gravel	13.80
91.88 - 91.9	S	Gravel	15.50
91.9 - 92.07	S	Gravel	17.30
92.07 - 93.07	S	Gravel	19.00
93.07 - 93.25	S	Gravel	17.30
93.25 - 93.29	S	Gravel	14.90
93.29 - 93.34	S	Gravel	13.20
93.34 - 93.36	S	Gravel	13.30
93.36 - 93.4	S	Gravel	15.10
93.4 - 93.72	S	Gravel	12.90
93.72 - 93.77	S	Gravel	11.10

Range (SLK)	Carriageway	Newest Base Material	Width
93.77 - 93.9	S	Gravel	11.50
93.9 - 94.06	S	Gravel	11.10
94.06 - 94.4	S	Gravel	11.40
94.4 - 94.45	S	Gravel	11.70
94.45 - 96.27	S	Gravel	12.00
96.27 - 96.35	S	Gravel	15.50
96.35 - 96.41	S	Gravel	12.00
96.41 - 96.42	S	Gravel	15.50
96.42 - 96.48	S	Gravel	13.80
96.48 - 96.49	S	Gravel	13.30
96.49 - 96.65	S	Gravel	13.60
96.65 - 96.67	S	Gravel	15.00
96.67 - 96.71	S	Gravel	18.50
96.71 - 96.79	S	Gravel	20.30
96.79 - 96.81	S	Gravel	17.30
96.81 - 96.86	S	Gravel	13.80
96.86 - 97.8	S	Gravel	15.50
97.8 - 98.02	S	Gravel	13.80
98.02 - 98.45	S	Gravel	12.00

Surfacing Summary

Range (SLK)	Carriageway	Newest Surface Type	Width
85.6 - 85.94	S	Single Seal	8.90
85.94 - 85.98	S	Two Coat Seal	10.70
85.98 - 86.15	S	Two Coat Seal	11.20
86.15 - 86.18	S	Single Seal	11.20
86.18 - 86.27	S	Two Coat Seal	11.20
86.27 - 86.58	S	Single Seal	8.90
86.58 - 86.66	S	Single Seal	9.00
86.66 - 86.75	S	Single Seal	12.00
86.75 - 86.88	S	Single Seal	10.50
86.88 - 87.31	S	Single Seal	9.00
87.31 - 87.41	S	Single Seal	8.90
87.41 - 87.52	S	Single Seal	10.80
87.52 - 87.82	S	Single Seal	8.90
87.82 - 87.89	S	Single Seal	8.80

Range (SLK)	Carriageway	Newest Surface Type	Width
87.89 - 88.3	S	Single Seal	10.60
88.3 - 88.34	S	Single Seal	8.80
88.34 - 89.9	S	Single Seal	8.70
89.9 - 89.92	S	Single Seal	13.70
89.92 - 90.1	S	Single Seal	14.00
90.1 - 90.22	S	Single Seal	12.50
90.22 - 90.32	S	Single Seal	9.00
90.32 - 90.49	S	Single Seal	9.30
90.49 - 90.99	S	Single Seal	9.40
90.99 - 91.09	S	Single Seal	9.10
91.09 - 91.76	S	Single Seal	9.50
91.76 - 91.88	S	Single Seal	11.30
91.88 - 91.9	S	Single Seal	13.50
91.9 - 92.07	S	Single Seal	15.30
92.07 - 93.07	S	Single Seal	17.00
93.07 - 93.25	S	Single Seal	15.30
93.25 - 93.29	S	Single Seal	13.00
93.29 - 93.36	S	Single Seal	11.30
93.36 - 93.4	S	Single Seal	13.10
93.4 - 93.72	S	Single Seal	10.80
93.72 - 96.27	S	Single Seal	9.00
96.27 - 96.35	S	Single Seal	14.00
96.35 - 96.36	S	Single Seal	10.50
96.36 - 96.41	S	Single Seal	9.20
96.41 - 96.48	S	Single Seal	12.70
96.48 - 96.57	S	Single Seal	9.20
96.57 - 96.65	S	Single Seal	12.20
96.65 - 96.67	S	Single Seal	11.80
96.67 - 96.71	S	Single Seal	12.30
96.71 - 96.75	S	Single Seal	14.10
96.75 - 96.81	S	Single Seal	15.30
96.81 - 96.86	S	Single Seal	11.80
96.86 - 97.8	S	Single Seal	13.50
97.8 - 97.99	S	Single Seal	11.80
97.99 - 98.02	S	Single Seal	11.40
98.02 - 98.45	S	Single Seal	9.60

Other Linear Assets

Asset Type	Details	Length Summary (km)
<i>Kerb Left</i>	<i>Semi Mountable</i>	<i>0.29</i>
<i>Kerb Right</i>	<i>Semi Barrier</i>	<i>0.08</i>
<i>Median</i>	<i>Painted or Other Level Treatment</i>	<i>0.57</i>
<i>Safety Barriers</i>	<i>Balustrade (not a safety barrier)</i>	<i>0.02</i>
<i>Safety Barriers</i>	<i>Thrie Beam</i>	<i>0.05</i>
<i>Safety Barriers</i>	<i>W Beam</i>	<i>0.20</i>

Other Point Assets

Asset Type	Details	Count
<i>Bridges</i>	<i>Road Bridge, Prestressed Concrete</i>	<i>2</i>
<i>Culverts</i>	<i>Box, Precast Reinforced Concrete</i>	<i>4</i>
<i>Culverts</i>	<i>Circular , Precast Reinforced Concrete</i>	<i>22</i>
<i>Road Stopping Place</i>	<i>Information Bay Left</i>	<i>1</i>
<i>Road Stopping Place</i>	<i>Parking Bay Right</i>	<i>1</i>
<i>Road Stopping Place</i>	<i>Rest Area Right</i>	<i>1</i>
<i>Signs</i>	<i>Directional</i>	<i>13</i>
<i>Signs</i>	<i>Guide</i>	<i>18</i>
<i>Signs</i>	<i>Main Roads</i>	<i>37</i>
<i>Signs</i>	<i>Regulatory</i>	<i>8</i>
<i>Signs</i>	<i>Warning</i>	<i>15</i>